



GHN 25/60-180


979521713

GHN / Threaded circulation pumps with three speeds

Heating/cooling, Klimatizacija

GENERAL

Product number	979521713		
Product name	GHN 25/60-180		
Seal type			
Net weight	2.60 kg		
Head max. (H max)	5.7 m	H min	0.0 m
Flow max. (Q max)	4.4 m³/h	Q min	0.0 m³/h
	%		
Noise	≤43 dB(A)		



ELECTRICAL DATA

Supply voltage	1~230 V
Mains frequency	50 Hz
Power input max.	90 W
Speed max.	1080 - 1980 rpm
Insulation class	H (180) °C
Current max.	0.39 A
Protection class	IP44
Thermal protection	
Frame size	
Motor IE class	

INSTALLATION

Pumped liquid	water VDI 2035, glycol 40%
Liquid temperature	-10.0 ÷ 110.0 °C
Ambient temp.range	40 °C
Port-to-port length	180 mm
Pipe connection	25
Pressure rating	G 1 ½
Connection	G 1 ½
Max operating pressure	Max 10 bar

MATERIAL

Bearing	Graphite
Impeller	Noryl 1630V
Hydraulics	gray cast iron
Shaft	AISI 420

GHN 25/60-180

979521713

GHN / Threaded circulation pumps with three speeds

Heating/cooling, Klimatizacija






GHN 25/60-180

979521713

GHN / Threaded circulation pumps with three speeds
 Heating/cooling, Klimatizacija

Dimension drawing



DN=25 D2=1 1/2" L=180 l=108 b1=80 b2=44 a=28




GHN 25/60-180

979521713

GHN / Threaded circulation pumps with three speeds

Heating/cooling, Klimatizacija

Electrical wiring





GHN 25/60-180

979521713

GHN / Threaded circulation pumps with three speeds

Heating/cooling, Klimatizacija